Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 9	61	S128 AND "707"/\$.ccls.	USPAT	OR	OFF	2005/10/04 16:12
S12 8	3798	(hold\$3 NEAR4 lock\$3) NEAR4 (unlock\$3 releas\$3)	USPAT	OR	OFF	2005/10/04 16:22
S13 0	21	(hold\$3 NEAR4 lock\$3) NEAR4 (request\$3 NEAR4 (unlock\$3 releas\$3))	USPAT	OR	OFF	2005/10/04 16:23
S13 3	436	"709"/\$.ccls. AND (token\$1 AND lock\$1)	USPAT	OR	OFF	2005/10/04 16:24
S13 2	600	"709"/\$.ccls. AND (token\$1 AND lock\$3)	USPAT	OR	OFF	2005/10/04 16:24
S13 1	26	(hold\$3 NEAR4 lock\$3) NEAR4 (receiv\$3 NEAR4 (unlock\$3 releas\$3))	USPAT	OR	OFF	2005/10/04 16:24
S13 5	1	S133 AND (((hold\$3 retain\$4) NEAR4 (token\$1 lock\$1)) NEAR6 (receiv\$3 NEAR2 request\$1))	USPAT	OR .	OFF	2005/10/04 16:25
S13 4	63	S133 AND ((hold\$3 retain\$4) NEAR4 (token\$1 lock\$1))	USPAT	OR	OFF	2005/10/04 16:26
S13 7	910	((hold\$3 retain\$4) NEAR4 (token\$1 lock\$1) NEAR6 until)	USPAT	OR	OFF	2005/10/04 16:30
S13 6	9	S133 AND ((hold\$3 retain\$4) NEAR4 (token\$1 lock\$1) NEAR6 until)	USPAT	OR	OFF`	2005/10/04 16:30
S14 0	594	((hold\$3 retain\$4) NEAR4 (lock\$1) NEAR6 after)	USPAT	OR	OFF	2005/10/04 16:37
S13 9	76	S138 AND "707"/\$.ccls.	USPAT	OR	OFF	2005/10/04 16:37
S13 8	798	((hold\$3 retain\$4) NEAR4 (lock\$1) NEAR6 until)	USPAT	OR	OFF	2005/10/04 16:37
S14 2	1	"6510478".pn. AND (token\$1)	USPAT	OR	OFF	2005/10/04 16:59
S14 1	20	S140 AND "707"/\$.ccls.	USPAT	OR	OFF	2005/10/04 16:59
S14 3	1	"6041383".pn.	USPAT	OR	OFF	2005/10/04 17:30
S14 4	85	lock ADJ1 token\$1	US-PGPUB; USPAT	OR	OFF	2005/10/04 18:56
S14 7	49	(session NEAR2 manager\$1) AND token\$1 AND lock\$1	US-PGPUB; USPAT	OR	OFF	2005/10/04 18:59
S14 6	1618	session AND token\$1 AND lock\$1	US-PGPUB; USPAT	OR	OFF	2005/10/04 18:59
S14 5	1	"6529941".pn. AND token\$1	US-PGPUB; USPAT	OR	OFF	2005/10/04 18:59
S14 8	201	(session NEAR4 data) AND lock\$1 AND token\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:04

S15	759	token\$1 AND lock\$1 AND session	USPAT	OR	OFF	2005/10/05 12:20
0 S14 9	12	S148 AND ((retain\$4 hold\$3) NEAR4 (token\$1 lock\$1))	USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/05 12:21
S15 2	31955	"707"/\$.ccls. "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:32
S15 1	99	S150 AND ((retain\$4 hold\$3) NEAR4 (token\$1 lock\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:32
S15 3	42	S152 AND (retain\$4 NEAR4 token\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:33
S15 4	10	S153 AND lock\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:42
S15 5	2	(token NEAR4 manager\$1) NEAR4 request\$3 NEAR4 releas\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:43
S1	13257	"707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:03
S16 0	21276	retain\$4 NEAR4 lock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:18
S15 9	126	relinquish\$3 NEAR4 token\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/05 13:18
S16 2	2	"5454108".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:23
S16 1	22	707/8.ccls. AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:23
\$16 3	2	"5940841".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:24

S16 4	6	("5454108" "5940841" "5950199" "5987477" "5999976" "6032216"). pn. AND revok\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:26
S16 5	6	("5454108" "5940841" "5950199" "5987477" "5999976" "6032216"). pn. AND (revok\$4 relinquish\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:42
S16 7	1	"20020143958".pn. AND thread\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:44
S16 6	1	"20020143958" pn. AND process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:44